Adachi T. *See* Murakawa M, Nakao S, Seo N, Shingu K, Mori K
Ahuja S, Datta A, Krishna A, Bhattacharya A, Infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in infants (abstract), 64
Akita M, Niwa H, Kim Y, Asahi Y, Yoshimoto R, Matsuura H, Second Degree Atrioventricular Block Caused by Intravenous Dantrolene (abstract), 149
Amano Y. *See* Nakanishi O, Ishikawa T, Murayama F, Mizuguchi H, Nishi M; Nakanishi O, Jingxue R, Tsuru N, Nishi M
Amemiya Y. *See* Sasao M, Sekita S, Noguchi I
Aono K, Oral Examination of Instructor for the Japanese Board of Dental Anesthesiology (JBDA) (report), 158
Aono K, Screening Committee for Instructor for the Japanese Board of Dental Anesthesiology (JBDA) of the Japanese Dental Society of Anesthesiology (report), 65
Asahi Y. *See* Akita M, Niwa H, Kim Y, Yoshimoto R, Matsuura H; Niwa H, Hori T, Sakiyama K, Ichibayasi Y, Matsuura H

Baldinelli L. *See* Manani G, Cordioli G, Consolati E, Luisetto F, Galzigna L
Baldinelli L, Report of AINOS Activities, 158
Bando N. *See* Tomioka S, Shimizu K, Eguchi S, Nakajo N
Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M, Emergency intubation with the Combitube™ in a grossly obese patient with bull neck (abstract), 60
Belani KG. *See* Kurz M, Sessler DI, Kurz A, Larson MD, Schroeder M, Blanchard D
Bengtson JP. *See* Einarsson S, Stenqvist O, Bengtsson A, Houltz E
Bengtsson A. *See* Einarsson S, Stenqvist O, Houltz E, Bengtson JP
Bhattacharya A. *See* Ahuja S, Datta A, Krishna A
Blanchard D. *See* Kurz M, Belani KG, Sessler DI, Kurz A, Larson MD, Schroeder M
Brugger S. *See* Banyai M, Falger S, Roggla M, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M

Cichon P. *See* Jakobs W, Ladwig B, Ortel R, Kirch W
Claffey L, Plourde G, Morris J, Trahan M, Dean DM, Sedation with midazolam during regional anaesthesia: is there a role for flumazenil? (abstract), 64
Close JM. *See* Finder RL, Moore PA
Condouris G. *See* Press SH, Houpt M
Consolati E. *See* Manani G, Baldinelli L, Cordioli G, Luisetto F, Galzigna L
Cordioli G. *See* Manani G, Baldinelli L, Consolati E, Luisetto F, Galzigna L
Cumberworth V. *See* Huehns TY, Yentis SM

Datta A. *See* Ahuja S, Krishna A, Bhattacharya A
Dean DM. *See* Claffey L, Plourde G, Morris J, Trahan M
Dimich I. *See* Singh PP, Shansi A
Donaldson D, Meechan JG, A Comparison of the Effects of EMLA® Cream and Topical 5% Lidocaine on Discomfort During Gingival Probing, 7

Eger EI II. *See* Navarro R, Weiskopf RB, Moore MA, Lockhart S, Koplin D, Lu G, Wilson C
Eguchi S. *See* Tomioka S, Shimizu K, Bando N, Nakajo N
Einarsson S, Stenqvist O, Bengtsson A, Houltz E, Bengtson JP, Nitrous oxide elimination and diffusion hypoxia during normo- and hypoventilation (abstract), 59
Eisg SB. *See* Meyers CJ, Kraut RA
Erlacher L. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Sterz F, Frass M

Falger S. *See* Banyai M, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M
Fenner SG. *See* Smith JE, King MJ
Finder RL, Moore PA, Close JM, Flumazenil Reversal of Conscious Sedation Induced with Intravenous Fentanyl and Diazepam, 11
Finder SG, Lessons from History: Horace Wells and the Moral Features of Clinical Contexts, 1
Foreman PA, Preemptive Analgesia: the Prevention of Neurogenous Orofacial Pain, 36
Frass M. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F
Fujimiya K. *See* Yokoyama K, Sugiyama K, Irifune M, Mietani W
Fukayama H, Jinno S, Ito H, Kohase H, Suzuki N, Endotracheal Tube Replacement Obturator (abstract), 156
Fukayama H, Which is Better—Conscious Sedation or Deep Sedation?, 100
Furuya H. *See* Yoshie M, Sumitomo M

Galzigna L. *See* Manani G, Baldinelli L, Cordioli G, Consolati E, Luisetto F
Ghouri A, Ruiz MAR, White PF, Effect of flumazenil on recovery after midazolam and propofol sedation (abstract), 63
Giovannitti J Jr, Dental Anesthesia and Pediatric Dentistry, 95
Gouldson R. *See* Smith I, White PF, Nathanson M
Grainger JK, Secretary General's Report to IFDAS, 65

Hajjar G. *See* Stacy GC
Hersh EV. *See* Lu DP, Lu GP
Hirota Y. *See* Sugimura M, Shibutani T, Niwa H, Hori T, Kim Y, Matsuura H
Hori T. *See* Niwa H, Asahi Y, Sakiyama K, Ichibayasi Y, Matsuura H; Sugimura M, Hirota Y, Shibutani T, Niwa H, Kim Y, Matsuura H
Houltz E. *See* Einarsson S, Stenqvist O, Bengtsson A, Bengtson JP
Houpt M. *See* Press SH, Condouris G
Huehns TY, Yentis SM, Cumberworth V, Apparent massive tongue swelling: a complication of orotracheal intubation on the intensive care unit (abstract), 62

Anesth Prog 42:169–172 1995
© 1995 by the American Dental Society of Anesthesiology
ISSN 0003-3006/95/$9.50
PII S0003-3006(96)00023-8

Ichibayasi Y. *See* Niwa H, Hori T, Asahi Y, Sakiyama K, Matsuura H
Irifune M. *See* Yokoyama K, Sugiyama K, Fujimiya K, Mietani W
Ishikawa N. *See* Owatari T, Umino M, Nagao M
Ishikawa T. *See* Nakanishi O, Murayama F, Mizuguchi H, Amano Y, Nishi M
Ito H. *See* Fukayama H, Jinno S, Kohase H, Suzuki N

Jacobsohn PH, Horace Wells: Discoverer of Anesthesia, 73
Jakobs W, Ladwig B, Cichon P, Ortel R, Kirch W, Serum Levels of Articaine 2% and 4% in Children, 113
Jastak JT, The Changing Relationship of Oral and Maxillofacial Surgery to Anesthesia: Reply (correspondence), 23
Jingxue R. *See* Nakanishi O, Amano Y, Tsuru N, Nishi M
Jinno S. *See* Fukayama H, Ito H, Kohase H, Suzuki N
Jolly DE
  Evaluation of the Medical History, 84
  Recognition of Medical Risk in the Dental Patient, 90

Kalimo K. *See* Malanin K
Kanayama T. *See* Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Oka S, Takada K
Kaneko Y. *See* Kubota A; Susa A, Sakurai M
  Clinical Perspectives on Capnography During Sedation and General Anesthesia in Dentistry, 126
Kaufman E
  IFDAS 9th International Conference (report), 158
  Israeli Society of Sedation Analgesia and Anesthesia in Dentistry (report), 67
Kim Y. *See* Akita M, Niwa H, Asahi Y, Yoshimoto R, Matsuura H; Sugimura M, Hirota Y, Shibutani T, Niwa H, Hori T, Matsuura H
King MJ. *See* Smith JE, Fenner SG
Kirch W. *See* Jakobs W, Ladwig B, Cichon P, Ortel R
Kitagawa E, The Effects of Intravenously Injected Felypressin on Cardiac Function in Dogs with Intact or Ischemic Hearts (abstract), 154
Klauser R. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M
Kohase H. *See* Fukayama H, Jinno S, Ito H, Suzuki N
Kondo E, Regulation of the Trigeminal System by Amino Acids (abstract), 146
Koplin D. *See* Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Lu G, Wilson C
Kraut RA. *See* Meyers CJ, Eisg SB
Krishna A. *See* Ahuja S, Datta A, Bhattacharya A
Kubota A, Kaneko Y, Assessment of the Effects of Block Analgesia by Analyzing Trigeminal Sensory-Evoked Potentials (abstract), 146
Kurz A. *See* Kurz M, Belani KG, Sessler DI, Larson MD, Schroeder M, Blanchard D
Kurz M, Belani KG, Sessler DI, Kurz A, Larson MD, Schroeder M, Blanchard D, Nalaxone, meperidine, and shivering (abstract), 59
Kyoda N. *See* Murai T, Misaki T, Takada K, Sawada S, Machida T; Shimamoto C, Misaki T, Sawada S, Machida T, Oka S, Takada K, Kanayama T

Ladwig B. *See* Jakobs W, Cichon P, Ortel R, Kirch W
Lahar CE, The Changing Relationship of Oral and Maxillofacial Surgery to Anesthesia (correspondence), 23
Larson MD. *See* Kurz M, Belani KG, Sessler DI, Kurz A, Schroeder M, Blanchard D
Lockhart S. *See* Navarro R, Weiskopf RB, Moore MA, Eger EI II, Koplin D, Lu G, Wilson C
Lu DP, Lu GP, Hersh EV, Augmenting Sedation with Hypnosis in Drug-Dependent Patients, 139
Lu G. *See* Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Koplin D, Wilson C
Lu GP. *See* Lu DP, Hersh EV
Luisetto F. *See* Manani G, Baldinelli L, Cordioli G, Consolati E, Galzigna L

Machida T. *See* Murai T, Kyoda N, Misaki T, Takada K, Sawada S; Shimamoto C, Kyoda N, Misaki T, Sawada S, Oka S, Takada K, Kanayama T
Malanin K, Kalimo K, Hypersensitivity to the Local Anesthetic Articaine Hydrochloride, 144
Manani G, Baldinelli L, Cordioli G, Consolati E, Luisetto F, Galzigna L, Premedication with Chlordemethyldiazepam and Anxiolytic Effect of Diazepam in Implantology, 107
Matsuura H. *See* Akita M, Niwa H, Kim Y, Asahi Y, Yoshimoto R; Niwa H, Hori T, Asahi Y, Sakiyama K, Ichibayasi Y; Sugimura M, Hirota Y, Shibutani T, Niwa H, Hori T, Kim Y
Meechan JG. *See* Donaldson D
Meyers CJ, Eisg SB, Kraut RA, Comparison of propofol and methohexital for deep sedation (abstract), 62
Mietani W. *See* Yokoyama K, Sugiyama K, Irifune M, Fujimiya K; Yokoyama K, Sugiyama K, Nishiyama S
Misaki T. *See* Murai T, Kyoda N, Takada K, Sawada S, Machida T; Shimamoto C, Kyoda N, Sawada S, Machida T, Oka S, Takada K, Kanayama T
Mizuguchi H. *See* Nakanishi O, Ishikawa T, Murayama F, Amano Y, Nishi M
Moore MA. *See* Navarro R, Weiskopf RB, Lockhart S, Eger EI II, Koplin D, Lu G, Wilson C
Moore PA. *See* Finder RL, Close JM
Mori K. *See* Murakawa M, Adachi T, Nakao S, Seo N, Shingu K
Morris J. *See* Claffey L, Plourde G, Trahan M, Dean DM
Muller-Spoljaritsch C. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Vychytil A, Erlacher L, Sterz F, Frass M
Murai T, Kyoda N, Misaki T, Takada K, Sawada S, Machida T, Effects of Clonidine on Intravenous Sedation with Midazolam, 135
Murakawa M, Adachi T, Nakao S, Seo N, Shingu K, Mori K, Activation of the cortical and medullary dopaminergic systems by nitrous oxide in rats: a possible neurochemical basis for psychotropic effects and postanesthetic nausea and vomiting (abstract), 63
Murayama F. *See* Nakanishi O, Ishikawa T, Mizuguchi H, Amano Y, Nishi M

Nagao M. *See* Owatari T, Umino M, Ishikawa N
Nakajo N. *See* Tomioka S, Shimizu K, Eguchi S, Bando N
Nakanishi O, Ishikawa T, Murayama F, Mizuguchi H, Amano Y,

Nishi M, Involvement of the Intracellular Signal Transducing System in Nitrous Oxide-Induced Analgesia (abstract), 150
Nakanishi O, Jingxue R, Amano Y, Tsuru N, Nishi M, Comparison of the Effects of Acupuncture and Nitrous-Oxide Sedation on Tactile and Pain Sensations in the Right Lower Lip Region (abstract), 152
Nakao S. *See* Murakawa M, Adachi T, Seo N, Shingu K, Mori K
Nathanson M. *See* Smith I, White PF, Gouldson R
Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Koplin D, Lu G, Wilson C, Humans anesthetized with sevoflurane or isoflurane have similar arrhythmic response to epinephrine (abstract), 61
Nishi M. *See* Nakanishi O, Ishikawa T, Murayama F, Mizuguchi H, Amano Y; Nakanishi O, Jingxue R, Amano Y, Tsuru N
Nishiyama S. *See* Yokoyama K, Sugiyama K, Mietani W
Niwa H. *See* Akita M, Kim Y, Asahi Y, Yoshimoto R, Matsuura H; Sugimura M, Hirota Y, Shibutani T, Hori T, Kim Y, Matsuura H
Niwa H, Hori T, Asahi Y, Sakiyama K, Ichibayasi Y, Matsuura H, Leakage of Local Anesthetic from Rubber Plunger During Dental Injection (abstract), 153
Noguchi I. *See* Sasao M, Sekita S, Amemiya Y

Oka S. *See* Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Takada K, Kanayama T
Ortel R. *See* Jakobs W, Ladwig B, Cichon P, Kirch W
Owatari T, Umino M, Ishikawa N, Nagao M, Clinical Experience with Elderly Dental Patients with Hereditary Angioneurotic Edema (abstract), 156

Plourde G. *See* Claffey L, Morris J, Trahan M, Dean DM
Press SH, Condouris G, Houpt M, The Effect of Age on the Behavioral Responses of Mice Following Diazepam and Midazolam Sedation in Combination with Nitrous Oxide, 131

Robertson C, The precordial thump and cough techniques in advanced life support (abstract), 60
Rodrigo C
Anesthesia for Maxillary and Mandibular Osteotomies in Osteogenesis Imperfecta, 17
Flumazenil in Dentistry, 121
Induced Hypotension During Anesthesia, with Special Reference to Orthognathic Surgery, 41
Rodrigo MRC, Tong CKA, A comparison of patient- and anesthetist-controlled midazolam sedation for dental surgery, 61
Roggla M. *See* Banyai M, Falger S, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M
Ruiz MAR. *See* Ghouri A, White PF

Sakiyama K. *See* Niwa H, Hori T, Asahi Y, Ichibayasi Y, Matsuura H
Sakurai M. *See* Susa A, Kaneko Y
Sasao M, Sekita S, Noguchi I, Amemiya Y, Prediction and Prophylaxis of Postoperative Pulmonary Complications After Prolonged Maxillofacial Surgery (abstract), 147
Sawada S. *See* Murai T, Kyoda N, Misaki T, Takada K, Machida T; Shimamoto C, Kyoda N, Misaki T, Machida T, Oka S, Takada K, Kanayama T
Schroeder M. *See* Kurz M, Belani KG, Sessler DI, Kurz A, Larson MD, Blanchard D
Sekita S. *See* Sasao M, Noguchi I, Amemiya Y
Seo N. *See* Murakawa M, Adachi T, Nakao S, Shingu K, Mori K
Sessler DI. *See* Kurz M, Belani KG, Kurz A, Larson MD, Schroeder M, Blanchard D
Shansi A. *See* Singh PP, Dimich I
Shibutani T. *See* Sugimura M, Hirota Y, Niwa H, Hori T, Kim Y, Matsuura H
Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Oka S, Takada K, Kanayama T, Five Case Reports of Uncommon Reactions to Flumazenil after Midazolam Sedation (abstract), 155
Shimizu K. *See* Tomioka S, Eguchi S, Bando N, Nakajo N
Shingu K. *See* Murakawa M, Adachi T, Nakao S, Seo N, Mori K
Singh PP, Dimich I, Shansi A, Intraoperative pulmonary oedema in a young cocaine smoker (abstract), 59
Smith I, White PF, Nathanson M, Gouldson R, Propofol: an update on its clinical use (abstract), 63
Smith JE, Fenner SG, King MJ, Teaching fibreoptic nasotracheal intubation with and without closed circuit television (abstract), 60
Stacy GC, Hajjar G, Barbed needle and inexplicable paresthesias and trismus after dental regional anesthesia (abstract), 62
Staudinger T. *See* Banyai M, Falger S, Roggla M, Brugger S, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M
Stenqvist O. *See* Einarsson S, Bengtsson A, Houltz E, Bengtson JP
Sterz F. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Frass M
Sugimura M, Hirota Y, Shibutani T, Niwa H, Hori T, Kim Y, Matsuura H, An Echocardiographic Study of Interactions Between Pindolol and Epinephrine Contained in a Local Anesthetic Solution, 29
Sugiyama K. *See* Yokoyama K, Irifune M, Fujimiya K, Mietani W; Yokoyama K, Nishiyama S, Mietani W
Sumitomo M. *See* Yoshie M, Furuya H
Susa A, Sakurai M, Kaneko Y, The Effects of Adenosine Triphosphate-Isoflurane-Induced Hypotensive Anesthesia on Hemodynamics and Blood Gas: A Comparison with Trimethaphan Camsylate-Halothane or Adenosine Triphosphate-Halothane (abstract), 153
Suzuki N. *See* Fukayama H, Jinno S, Ito H, Kohase H
Sykes P, The Development of Dental Anesthesia in the United Kingdom, 76

Takada K. *See* Murai T, Kyoda N, Misaki T, Sawada S, Machida T; Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Oka S, Kanayama T
Tohda Y, Effects of Midazolam and Y-23684, a Partial Agonist of the Benzodiazepine Receptor in the Serotonin Nerve

System in the Amygdala: Basic Research on a Selective Anxiolytic (abstract), 150
Tomioka S, Shimizu K, Eguchi S, Bando N, Nakajo N, A Case of Hypothermic Ventricular Fibrillation During Oral Surgery (abstract), 151
Tong CKA. *See* Rodrigo MRC
Trahan M. *See* Claffey L, Plourde G, Morris J, Dean DM
Trieger N, Anecdotes from the History of Anesthesia in Dentistry, 80
Tsuru N. *See* Nakanishi O, Jingxue R, Amano Y, Nishi M

Umino M. *See* Owatari T, Ishikawa N, Nagao M

Vychytil A. *See* Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Erlacher L, Sterz F, Frass M

Weaver JM, Special Considerations Concerning General Anesthesia for Dental Treatment of Handicapped Patients, 93
Webb MD, Type I Second-Degree AV Block After Neostigmine Administration in a Child with Renal Failure, 21
Weiskopf RB. *See* Navarro R, Moore MA, Lockhart S, Eger EI II, Koplin D, Lu G, Wilson C
White PF. *See* Ghouri A, Ruiz MAR; Smith I, Nathanson M, Gouldson R
Wilson C. *See* Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Koplin D, Lu G

Yagiela JA, Vasoconstrictor Agents for Local Anesthesia, 116
Yamashiro M, Effectiveness of Conscious Sedation with a Single Benzodiazepine Compared with a Combination of Drugs, 103
Yentis SM. *See* Huehns TY, Cumberworth V
Yokoyama K, Sugiyama K, Irifune M, Fujimiya K, Mietani W, A Study of Pressure Changes in Endotracheal Tube Cuffs During Nitrous Oxide-Oxygen Gas Mixture Flow: Comparison of Intracuff Pressure Changes in Various Cuff Materials and Cuff Types, Especially the Large-Volume Pilot Balloon (abstract), 148
Yokoyama K, Sugiyama K, Nishiyama S, Mietani W, Clinical Investigation of Intracuff Pressure Changes During Nitrous-Oxide Anesthesia (abstract), 152
Yoshie M, Sumitomo M, Furuya H, A Study of SEP as an Indication for the Incremental Use of Drugs During Total Intravenous Anesthesia in Rats (abstract), 149
Yoshimoto R. *See* Akita M, Niwa H, Kim Y, Asahi Y, Matsuura H

Activation of the cortical and medullary dopaminergic systems by nitrous oxide in rats: a possible neurochemical basis for psychotropic effects and postanesthetic nausea and vomiting, Murakawa M, Adachi T, Nakao S, Seo N, Shingu K, Mori K (abstract), 63
Acupuncture, effects on tactile and pain sensations, comparison with nitrous oxide (abstract), 152
Adenosine triphosphate-halothane anesthesia, effects on hemodynamics and blood gas (abstract), 153
Adenosine triphosphate-isoflurane-induced hypotensive anesthesia, effects on hemodynamics and blood gas (abstract), 153
β-Adrenergic blockers, interaction with epinephrine in local anesthetics, 29
Advanced life support, precordial thump and cough techniques in (abstract), 60
Analgesia
  postoperative, infra-orbital nerve block for (abstract), 64
  preemptive, 36
Anecdotes from the History of Anesthesia in Dentistry, Trieger N, 80
Anesthesia, hypotensive, 41
  effects on hemodynamics and blood gas (abstract), 153
Anesthesia for Maxillary and Mandibular Osteotomies in Osteogenesis Imperfecta, Rodrigo C, 17
Anesthesia in dentistry, historical perspectives, 76, 80. *See also* Wells, Horace
Apparent massive tongue swelling: a complication of orotracheal intubation on the intensive care unit, Huehns TY, Yentis SM, Cumberworth V (abstract), 62
Arrhythmia(s), development in general anesthesia (abstract), 61
Articaine
  hypersensitivity to, 144
  pharmacokinetics, in children, 113
Assessment of the Effects of Block Analgesia by Analyzing Trigeminal Sensory-Evoked Potentials, Kubota A, Kaneko Y (abstract), 146
Augmenting Sedation with Hypnosis in Drug-Dependent Patients, Lu DP, Lu GP, Hersh EV, 139

Barbed needle and inexplicable paresthesias and trismus after dental regional anesthesia, Stacy GC, Hajjar G (abstract), 62
Benzodiazepine antagonist, conscious sedation and, 11
Benzodiazepines
  in conscious sedation, 11
    single agent versus drug combinations for, 103
  mechanism of action, 150
  with or without nitrous oxide, behavioral responses of mice to, effect of age on, 11
Block analgesia, assessment of, by trigeminal sensory-evoked potentials (abstract), 146
Butorphanol, intravenous (abstract), 149

Camsylate-halothane anesthesia, effects on hemodynamics and blood gas (abstract), 153
Capnography, during sedation and general anesthesia, 126
A Case of Hypothermic Ventricular Fibrillation During Oral Surgery, Tomioka S, Shimizu K, Eguchi S, Bando N, Nakajo N (abstract), 151
Children. *See* Pediatric dentistry
Chlordemethyldiazepam, premedication, and anxiolytic effect of diazepam, 107
Cleft lip surgery, postoperative analgesia for (abstract), 64
Clinical Experience with Elderly Dental Patients with Hereditary Angioneurotic Edema, Owatari T, Umino M, Ishikawa N, Nagao M (abstract), 156
Clinical Investigation of Intracuff Pressure Changes During Nitrous-Oxide Anesthesia, Yokoyama K, Sugiyama K, Nishiyama S, Mietani W (abstract), 152
Clinical Perspectives on Capnography During Sedation and General Anesthesia in Dentistry, Kaneko Y, 126
Clonidine, effects on intravenous sedation with midazolam, 135
Cocaine abuse, anesthetic complications related to (abstract), 59
Combitube, emergency intubation with (abstract), 60
A comparison of patient- and anesthetist-controlled midazolam sedation for dental surgery, Rodrigo MRC, Tong CKA (abstract), 61
Comparison of propofol and methohexital for deep sedation, Meyers CJ, Eisg SB, Kraut RA (abstract), 62
Comparison of the Effects of Acupuncture and Nitrous-Oxide Sedation on Tactile and Pain Sensations in the Right Lower Lip Region, Nakanishi O, Jingxue R, Amano Y, Tsuru N, Nishi M (abstract), 152
A Comparison of the Effects of EMLA® Cream and Topical 5% Lidocaine on Discomfort During Gingival Probing, Donaldson D, Meechan JG, 7
Correspondence
  The Changing Relationship of Oral and Maxillofacial Surgery to Anesthesia, Lahar CE, 23
  The Changing Relationship of Oral and Maxillofacial Surgery to Anesthesia: Reply, Jastak JT, 23

Dantrolene, intravenous, second-degree atrioventricular block caused by (abstract), 149
Dental Anesthesia and Pediatric Dentistry, Giovannitti J Jr, 95
The Development of Dental Anesthesia in the United Kingdom, Sykes P, 76
Diazepam
  anxiolytic effect of, chlordemethyldiazepam premedication and, 107
  for conscious sedation, 11
  with or without nitrous oxide, behavioral responses of mice to, effect of age on, 11
Diffusion hypoxia (abstract), 59

An Echocardiographic Study of Interactions Between Pindolol and Epinephrine Contained in a Local Anesthetic Solution, Sugimura M, Hirota Y, Shibutani T, Niwa H, Hori T, Kim Y, Matsuura H, 29
Effectiveness of Conscious Sedation with a Single Benzodiazepine Compared with a Combination of Drugs, Yamashiro M, 103

Anesth Prog 42:173–177 1995
© 1995 by the American Dental Society of Anesthesiology
ISSN 0003-3006/95/$9.50
PII S0003-3006(96)00024-X

The Effect of Age on the Behavioral Responses of Mice Following Diazepam and Midazolam Sedation in Combination with Nitrous Oxide, Press SH, Condouris G, Houpt M, 131
Effect of flumazenil on recovery after midazolam and propofol sedation, Ghouri A, Ruiz MAR, White PF (abstract), 63
The Effects of Adenosine Triphosphate-Isoflurane-Induced Hypotensive Anesthesia on Hemodynamics and Blood Gas: A Comparison with Trimethaphan Camsylate-Halothane or Adenosine Triphosphate-Halothane, Susa A, Sakurai M, Kaneko Y (abstract), 153
Effects of Clonidine on Intravenous Sedation with Midazolam, Murai T, Kyoda N, Misaki T, Takada K, Sawada S, Machida T, 135
The Effects of Intravenously Injected Felypressin on Cardiac Function in Dogs with Intact or Ischemic Hearts, Kitagawa E (abstract), 154
Effects of Midazolam and Y-23684, a Partial Agonist of the Benzodiazepine Receptor in the Serotonin Nerve System in the Amygdala: Basic Research on a Selective Anxiolytic, Tohda Y (abstract), 150
Emergency intubation with the Combitube™ in a grossly obese patient with bull neck, Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M (abstract), 60
Endotracheal intubation, tube replacement obturator for (abstract), 156
Endotracheal Tube Replacement Obturator, Fukayama H, Jinno S, Ito H, Kohase H, Suzuki N (abstract), 156
Epinephrine
  adverse effects of, 119
  arrhythmic response to, in general anesthesia (abstract), 61
  in local anesthetics, interaction with pindolol, 29
  systemic effects, 118
  vasoconstrictor properties of, 116
Evaluation of the Medical History, Jolly DE, 84

Felypressin
  adverse effects of, 119
  cardiac effects in dogs (abstract), 154
  systemic effects, 118
  vasoconstrictor properties of, 116
Fentanyl, intravenous
  for conscious sedation, 11
  somatosensory-evoked potentials and timing of drug increments (abstract), 149
Five Case Reports of Uncommon Reactions to Flumazenil after Midazolam Sedation, Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Oka S, Takada K, Kanayama T (abstract), 155
Flumazenil
  effect on recovery
    after midazolam and propofol sedation (abstract), 63
    after midazolam sedation (abstract), 64
  uncommon reactions to, after midazolam sedation (abstract), 155
Flumazenil in Dentistry, Rodrigo C, 121
Flumazenil Reversal of Conscious Sedation Induced with Intravenous Fentanyl and Diazepam, Finder RL, Moore PA, Close JM, 11

General anesthesia
  arrhythmia development in (abstract), 61
  capnography during, 126
  for handicapped patients, 93

Handicapped patients, general anesthesia for, 93
Heart block, second-degree atrioventricular
  caused by intravenous dantrolene (abstract), 149
  type I, after neostigmine administration, 21
Hereditary angioneurotic edema, clinical considerations, in elderly patients (abstract), 156
Horace Wells: Discoverer of Anesthesia, Jacobsohn PH, 73
Humans anesthetized with sevoflurane or isoflurane have similar arrhythmic response to epinephrine, Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Koplin D, Lu G, Wilson C (abstract), 61
Hypersensitivity to the Local Anesthetic Articaine Hydrochloride, Malanin K, Kalimo K, 144
Hypnosis, augmentation of sedation with, in drug-dependent patients, 139
Hypotension, induced, during anesthesia, 41

Implantology, diazepam and chlordemethyldiazepam premedication in, 107
Induced Hypotension During Anesthesia, with Special Reference to Orthognathic Surgery, Rodrigo C, 41
Infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in infants, Ahuja S, Datta A, Krishna A, Bhattacharya A (abstract), 64
International Federation of Dental Anesthesiology Societies (IFDAS) reports
  AINOS activities, 158
  IFDAS accounts, 1994, 159
  Instructor for the Japanese Board of Dental Anesthesiology (JBDA) of the Japanese Dental Society of Anesthesiology, 65, 158
  Israeli Society of Sedation Analgesia and Anesthesia in Dentistry, 67
  Ninth International Conference, Jerusalem, May 2D5 2000, 158
  Secretary General's report, November 1994, 65
Intraoperative pulmonary oedema in a young cocaine smoker, Singh PP, Dimich I, Shansi A (abstract), 59
Intubation
  emergency, with Combitube (abstract), 60
  endotracheal
    intracuff pressure in, effects of nitrous oxide-oxygen gas mixture on (abstract), 148, 152
    tube replacement obturator for (abstract), 156
  fiberoptic (abstract), 60
  orotracheal, complications (abstract), 62
  tongue swelling and (abstract), 62
Involvement of the Intracellular Signal Transducing System in Nitrous Oxide-Induced Analgesia, Nakanishi O,

Ishikawa T, Murayama F, Mizuguchi H, Amano Y, Nishi M (abstract), 150
Isoflurane, and arrhythmic response to epinephrine (abstract), 61

Journal abstracts
Assessment of the Effects of Block Analgesia by Analyzing Trigeminal Sensory-Evoked Potentials, Kubota A, Kaneko Y, 146
A Case of Hypothermic Ventricular Fibrillation During Oral Surgery, Tomioka S, Shimizu K, Eguchi S, Bando N, Nakajo N, 151
Clinical Experience with Elderly Dental Patients with Hereditary Angioneurotic Edema, Owatari T, Umino M, Ishikawa N, Nagao M, 156
Clinical Investigation of Intracuff Pressure Changes During Nitrous-Oxide Anesthesia, Yokoyama K, Sugiyama K, Nishiyama S, Mietani W, 152
Comparison of the Effects of Acupuncture and Nitrous-Oxide Sedation on Tactile and Pain Sensations in the Right Lower Lip Region, Nakanishi O, Jingxue R, Amano Y, Tsuru N, Nishi M, 152
The Effects of Adenosine Triphosphate-Isoflurane-Induced Hypotensive Anesthesia on Hemodynamics and Blood Gas: A Comparison with Trimethaphan Camsylate-Halothane or Adenosine Triphosphate-Halothane, Susa A, Sakurai M, Kaneko Y, 153
The Effects of Intravenously Injected Felypressin on Cardiac Function in Dogs with Intact or Ischemic Hearts, Kitagawa E, 154
Effects of Midazolam and Y-23684, a Partial Agonist of the Benzodiazepine Receptor in the Serotonin Nerve System in the Amygdala: Basic Research on a Selective Anxiolytic, Tohda Y, 150
Endotracheal Tube Replacement Obturator, Fukayama H, Jinno S, Ito H, Kohase H, Suzuki N, 156
Five Case Reports of Uncommon Reactions to Flumazenil after Midazolam Sedation, Shimamoto C, Kyoda N, Misaki T, Sawada S, Machida T, Oka S, Takada K, Kanayama T, 155
Involvement of the Intracellular Signal Transducing System in Nitrous Oxide-Induced Analgesia, Nakanishi O, Ishikawa T, Murayama F, Mizuguchi H, Amano Y, Nishi M, 150
Leakage of Local Anesthetic from Rubber Plunger During Dental Injection, Niwa H, Hori T, Asahi Y, Sakiyama K, Ichibayasi Y, Matsuura H, 153
Prediction and Prophylaxis of Postoperative Pulmonary Complications After Prolonged Maxillofacial Surgery, Sasao M, Sekita S, Noguchi I, Amemiya Y, 147
Regulation of the Trigeminal System by Amino Acids, Kondo E, 146
Second Degree Atrioventricular Block Caused by Intravenous Dantrolene, Akita M, Niwa H, Kim Y, Asahi Y, Yoshimoto R, Matsuura H, 149
A Study of Pressure Changes in Endotracheal Tube Cuffs During Nitrous Oxide-Oxygen Gas Mixture Flow: Comparison of Intracuff Pressure Changes in Various Cuff Materials and Cuff Types, Especially the Large-Volume Pilot Balloon, Yokoyama K, Sugiyama K, Irifune M, Fujimiya K, Mietani W, 148
A Study of SEP as an Indication for the Incremental Use of Drugs During Total Intravenous Anesthesia in Rats, Yoshie M, Sumitomo M, Furuya H, 149

Ketamine
dissociative sedation using, in pediatric dentistry, 95
emergence phenomenon with, 87
intravenous (abstract), 149

Leakage of Local Anesthetic from Rubber Plunger During Dental Injection, Niwa H, Hori T, Asahi Y, Sakiyama K, Ichibayasi Y, Matsuura H (abstract), 153
Lessons from History: Horace Wells and the Moral Features of Clinical Contexts, Finder SG, 1
Levonordefrin
adverse effects of, 119
systemic effects, 118
vasoconstrictor properties of, 116
Lidocaine, topical, comparison with eutectic mixture of local anesthetics (EMLA), 7
Literature abstracts
Activation of the cortical and medullary dopaminergic systems by nitrous oxide in rats: a possible neurochemical basis for psychotropic effects and postanesthetic nausea and vomiting, Murakawa M, Adachi T, Nakao S, Seo N, Shingu K, Mori K, 63
Apparent massive tongue swelling: a complication of orotracheal intubation on the intensive care unit, Huehns TY, Yentis SM, Cumberworth V, 62
Barbed needle and inexplicable paresthesias and trismus after dental regional anesthesia, Stacy GC, Hajjar G, 62
A comparison of patient- and anesthetist-controlled midazolam sedation for dental surgery, Rodrigo MRC, Tong CKA, 61
Comparison of propofol and methohexital for deep sedation, Meyers CJ, Eisg SB, Kraut RA, 62
Effect of flumazenil on recovery after midazolam and propofol sedation, Ghouri A, Ruiz MAR, White PF, 63
Emergency intubation with the Combitube™ in a grossly obese patient with bull neck, Banyai M, Falger S, Roggla M, Brugger S, Staudinger T, Klauser R, Muller-Spoljaritsch C, Vychytil A, Erlacher L, Sterz F, Frass M, 60
Humans anesthetized with sevoflurane or isoflurane have similar arrhythmic response to epinephrine, Navarro R, Weiskopf RB, Moore MA, Lockhart S, Eger EI II, Koplin D, Lu G, Wilson C, 61
Infra-orbital nerve block for relief of postoperative pain following cleft lip surgery in infants, Ahuja S, Datta A, Krishna A, Bhattacharya A, 64
Intraoperative pulmonary oedema in a young cocaine smoker, Singh PP, Dimich I, Shansi A, 59
Nalaxone, meperidine, and shivering, Kurz M, Belani KG, Sessler DI, Kurz A, Larson MD, Schroeder M, Blanchard D, 59

Nitrous oxide elimination and diffusion hypoxia during normo- and hypoventilation, Einarsson S, Stenqvist O, Bengtsson A, Houltz E, Bengtson JP, 59
The precordial thump and cough techniques in advanced life support, Robertson C, 60
Propofol: an update on its clinical use, Smith I, White PF, Nathanson M, Gouldson R, 63
Sedation with midazolam during regional anaesthesia: is there a role for flumazenil?, Claffey L, Plourde G, Morris J, Trahan M, Dean DM, 64
Teaching fibreoptic nasotracheal intubation with and without closed circuit television, Smith JE, Fenner SG, King MJ, 60
Local anesthesia
paresthesia after (abstract), 62
in pediatric dentistry, 113
vasoconstrictor agents for, 116
Local anesthetics
epinephrine in, interaction with pindolol, 29
eutectic mixture (EMLA), comparison with topical 5% lidocaine, 7
leakage from rubber plunger during dental injection (abstract), 153

Maxillofacial surgery, pulmonary complications after (abstract), 147
Medical history, evaluation of, 84
Medical risk, recognition of, 90
Meperidine, antishivering activity (abstract), 59
Methohexital, for deep sedation, comparison with propofol (abstract), 62
Midazolam
intravenous, somatosensory-evoked potentials and timing of drug increments (abstract), 149
mechanism of action, 150
with or without nitrous oxide, behavioral responses of mice to, effect of age on, 11
sedation with
clonidine and, 135
recovery after (abstract), 61, 63, 64
respiration and, 100

Nalaxone, meperidine, and shivering, Kurz M, Belani KG, Sessler DI, Kurz A, Larson MD, Schroeder M, Blanchard D (abstract), 59
Naloxone, effects on antishivering activity of meperidine (abstract), 59
Nasotracheal intubation, fiberoptic (abstract), 60
Neostigmine, heart block after, in child with renal failure, 21
Nerve block, infra-orbital, for postoperative analgesia (abstract), 64
Nitrous oxide
benzodiazepine sedation with or without, behavioral responses of mice to, effect of age on, 11
effects on tactile and pain sensations, comparison with acupuncture (abstract), 152
pharmacology, 150
pharmacology (abstract), 63
Nitrous oxide elimination and diffusion hypoxia during normo- and hypoventilation, Einarsson S, Stenqvist O, Bengtsson A, Houltz E, Bengtson JP (abstract), 59
Nitrous oxide-oxygen gas mixture, effects on intracuff pressure in endotracheal tube cuffs (abstract), 148, 152
Norepinephrine
adverse effects of, 119
systemic effects, 118
vasoconstrictor properties of, 116

Orofacial pain, neurogenous, prevention, 36
Osteogenesis imperfecta, maxillary and mandibular osteotomy in, anesthesia for, 17

Paresthesia, after local anesthesia (abstract), 62
Pediatric dentistry
dental anesthesia and, 95
local anesthesia in, 113
pharmacokinetics of articaine in, 113
Pindolol, interaction with epinephrine in local anesthetics, 29
The precordial thump and cough techniques in advanced life support, Robertson C (abstract), 60
Prediction and Prophylaxis of Postoperative Pulmonary Complications After Prolonged Maxillofacial Surgery, Sasao M, Sekita S, Noguchi I, Amemiya Y (abstract), 147
Preemptive Analgesia: the Prevention of Neurogenous Orofacial Pain, Foreman PA, 36
Premedication with Chlordemethyldiazepam and Anxiolytic Effect of Diazepam in Implantology, Manani G, Baldinelli L, Cordioli G, Consolati E, Luisetto F, Galzigna L, 107
Propofol
in pediatric dentistry, 98
sedation with
deep, comparison with methohexital (abstract), 62
recovery after (abstract), 63
Propofol: an update on its clinical use, Smith I, White PF, Nathanson M, Gouldson R (abstract), 63
Pulmonary complications, after prolonged maxillofacial surgery (abstract), 147
Pulmonary edema, intraoperative, in cocaine smoker (abstract), 59

Recognition of Medical Risk in the Dental Patient, Jolly DE, 90
Regulation of the Trigeminal System by Amino Acids, Kondo E (abstract), 146
Renal failure, neostigmine administration in, 21
Reports
IFDAS 9th International Conference, Kaufman E, 158
Israeli Society of Sedation Analgesia and Anesthesia in Dentistry, Kaufman E, 67
Oral Examination of Instructor for the Japanese Board of Dental Anesthesiology (JBDA), Aono K, 158
Report of AINOS Activities, Baldinelli L, 158
Screening Committee for Instructor for the Japanese Board of Dental Anesthesiology (JBDA) of the Japanese Dental Society of Anesthesiology, Aono K, 65
Secretary General's Report to IFDAS, Grainger JK, 65

Second Degree Atrioventricular Block Caused by Intravenous Dantrolene, Akita M, Niwa H, Kim Y, Asahi Y, Yoshimoto R, Matsuura H (abstract), 149
Sedation
augmentation with hypnosis, in drug-dependent patients, 139
capnography during, 126
conscious
versus deep sedation, 100
induced with intravenous fentanyl and diazepam, flumazenil reversal of, 11
reversal, 11
with single benzodiazepine versus drug combination, 103
deep
versus conscious sedation, 100
propofol versus methohexital for (abstract), 62
dissociative, in pediatric dentistry, 95
intravenous, patient versus anesthetist administration of (abstract), 61
Sedation with midazolam during regional anaesthesia: is there a role for flumazenil?, Claffey L, Plourde G, Morris J, Trahan M, Dean DM (abstract), 64
Sensory-evoked potentials, trigeminal, in assessment of block analgesia (abstract), 146
Serum Levels of Articaine 2% and 4% in Children, Jakobs W, Ladwig B, Cichon P, Ortel R, Kirch W, 113
Sevoflurane, and arrhythmic response to epinephrine (abstract), 61
Shivering (abstract), 59
Somatosensory-evoked potentials, and timing of drug increments in intravenous anesthesia (abstract), 149
Special Considerations Concerning General Anesthesia for Dental Treatment of Handicapped Patients, Weaver JM, 93
A Study of Pressure Changes in Endotracheal Tube Cuffs During Nitrous Oxide-Oxygen Gas Mixture Flow: Comparison of Intracuff Pressure Changes in Various Cuff Materials and Cuff Types, Especially the Large-Volume Pilot Balloon, Yokoyama K, Sugiyama K, Irifune M, Fujimiya K, Mietani W (abstract), 148
A Study of SEP as an Indication for the Incremental Use of Drugs During Total Intravenous Anesthesia in Rats, Yoshie M, Sumitomo M, Furuya H (abstract), 149

Teaching fibreoptic nasotracheal intubation with and without closed circuit television, Smith JE, Fenner SG, King MJ (abstract), 60
Tongue swelling, with endotracheal intubation (abstract), 62
Trigeminal sensory system
regulation by amino acids (abstract), 146
sensory-evoked potentials, in assessment of block analgesia (abstract), 146
Trismus, after local anesthesia (abstract), 62
Type I Second-Degree AV Block After Neostigmine Administration in a Child with Renal Failure, Webb MD, 21

United Kingdom, development of dental anesthesia in, 76

Vasoconstrictor Agents for Local Anesthesia, Yagiela JA, 116
Ventricular fibrillation, hypothermic (abstract), 151

Wells, Horace, 1, 73
Which is Better—Conscious Sedation or Deep Sedation?, Fukayama H, 100

Y-23684, mechanism of action, 150